



IFW

Practitioner's Docket No. 1012-189(2003-012R1)

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of: Oleg Kolosov et al.

Application No.: 10/804,446

Filed: March 19, 2004

For: MECHANICAL RESONATOR

Group No.: 2856

Examiner: To Be Assigned

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

STATUS INQUIRY

1. More than twelve months have passed since the filing of this application on March 19, 2004. No communication has been received from the Patent and Trademark Office indicating action on this application.

2. Kindly advise the undersigned of the present status of this application.

Date: 5/19/05

Christopher J. Voci

Christopher J. Voci  
Registration No. 45,184  
DOBRUSIN & THENNISCH PC  
29 W. Lawrence Street, Ste 210  
Pontiac, MI 48342  
248-292-2920  
Customer No. 25215

CERTIFICATION UNDER 37 C.F.R. §§ 1.8(a) and 1.10\*

(When using Express Mail, the Express Mail label number is mandatory;  
Express Mail certification is optional.)

I hereby certify that, on the date shown below, this correspondence is being:

MAILING

X deposited with the United States Postal Service in an envelope addressed to the Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450

37 C.F.R. § 1.8(a)

X with sufficient postage as first class mail.

37 C.F.R. § 1.10\*

as "Express Mail Post Office to Addressee"

Mailing Label No. \_\_\_\_\_ (mandatory)

TRANSMISSION

facsimile transmitted to the Patent and Trademark Office, (703) \_\_\_\_\_ - \_\_\_\_\_.

Signature \_\_\_\_\_

Date: \_\_\_\_\_

\_\_\_\_\_  
(type or print name of person certifying)

\* Only the date of filing (' 1.6) will be the date used in a patent term adjustment calculation, although the date on any certificate of mailing or transmission under ' 1.8 continues to be taken into account in determining timeliness. See ' 1.703(f). Consider "Express Mail Post Office to Addressee" (' 1.10) or facsimile transmission (' 1.6(d)) for the reply to be accorded the earliest possible filing date for patent term adjustment calculations.